

Material Safety Data Sheet

Page : 1 of 3
MSDS No. : 021-001271

Date of issue : 6 January, 2003

Revised : 26 July, 2011

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

PRODUCT NAME : Toner of Toner Cartridge UG-3313 for Panasonic Facsimile machine Models UF-550, UF-560, UF-770, UF-880, DF-1100, UF-885, UF-895, DX-1000 and DX-2000

PRODUCT NUMBER : UG-3313

MANUFACTURER : Panasonic System Networks Co., Ltd.
Imaging Systems Business Unit
4-1-62 Minoshima, Hakata-ku, Fukuoka City, 812-8531 Japan
Tel : +81-(0)92-477-1821 Fax : +81-(0)92-477-1487
E-mail : msdsinfo_ut@ml.jp.panasonic.com

CONTACT POINT : Panasonic Testing Center
Panasonic Marketing Europe GmbH
Winsbergring 15, D-22525 Hamburg, Germany
Tel: +49 (0)40 8549- 0

SECTION 2 HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW : Odorless black fine powder.
Not a highly flammable, but when suspended in air, is combustible as with most organic powders.

EU CLASSIFICATION : Not classified as dangerous.

POTENTIAL HEALTH EFFECTS :

EYES : Solid or dusts may cause irritation or corneal injury.

SKIN CONTACT : Essentially nonirritating to skin.

SKIN ABSORPTION : Skin absorption is unlikely due to physical properties.

INGESTION : Oral toxicity is believed to be low.

INHALATION : Minimal irritation to respiratory track may occur.

FIRE AND EXPLOSION :

SENSITIVITY TO MECHANICAL IMPACT : None

SENSITIVITY TO STATIC CHARGE : None

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS	CAS #	PROPORTION (% by wt.)	EC #	SYMBOLS	R PHRASE
• Polystyrene acrylate copolymer	Trade secret	> 54.0		None	None
• Iron oxide	1309-38-2	< 40.0	215-169-8	None	None
• Polypropylene	9010-79-1	< 4.0		None	None
• Organic pigment	Trade secret	< 1.0		None	None
• Amorphous silica	Trade secret	< 1.0		None	None

SECTION 4 FIRST AID MEASURES

EYE CONTACT : Flush eyes immediately with plenty of water for at least 15 minutes.
SKIN CONTACT : Flush with plenty of water. Use soap.
INHALATION : No adverse effects anticipated by this route of exposure incidental to proper handling.
INGESTION : Remove to fresh air. If effects occur, consult medical personnel.

SECTION 5 FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES :
FLASH POINT : No data available
FLAMMABLE LIMITS
Explosion Limits(Upper): No data available
Explosion Limits(Lower): No data available
EXTINGUISHING MEDIA : Water fog, foam, CO₂, dry chemical.
FIRE-FIGHTING EQUIPMENT : Wear full bunker gear including a positive pressure self-contained breathing apparatus in case of burning in large quantities.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Minimize the release of particulates. Wear personal protective equipment.
Do not use vacuum cleaner.
After by lightly spraying with water to prevent development of dust, spills should be swept up or wiped up. Then residuals can be removed with soap and water. Preferred to use the material in a place, covering up the floor and surrounding matters with suitable sheets such as paper, in a case of being not fit to scrub the floor with water. These used sheets should be wrapped up in spills and transfer into a suitable container for disposal.
Garments may be washed or dry cleaned, after removal of loose toner.

SECTION 7 HANDLING AND STORAGE

Avoid creating dust. Clean up all spills promptly.
Inhalation and contact with skin or eyes should be avoided.
Provide general ventilation. Good general ventilation should be sufficient for most conditions.
Store in cool, well ventilated place away from flames and spark-producing equipment.
May toners be preferred to use or to handle at the suitable place without concerning about smudges to which are given rise by releasing them.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES : ACGIH TLV= 10mg/m³(Total dust), 3mg/m³(Respirable dust)
OSHA PEL= 15mg/m³(Total dust), 5mg/m³(Respirable dust)
RESPIRATORY PROTECTION : For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, use an approved dust respirator.
SKIN PROTECTION : No precautions should be needed under normal use.
EYE PROTECTION : No precautions should be needed under normal use.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Black fine powder
ODOR : Odorless
BOILING POINT : Not applicable
VAPOR PRESSURE : Not applicable
VAPOR DENSITY : Not applicable
SOLUBILITY (H₂O): Negligible
SPECIFIC GRAVITY : ca. 1.60 g/cm³
MELTING POINT : Not applicable
pH : Not applicable
PERCENT VOLATILE : Not applicable

SECTION 10 STABILITY AND REACTIVITY

STABILITY : This is a stable product.
INCOMPATIBILITY : (SPECIAL MATERIALS TO AVOID) Oxidizing materials.
HAZARDOUS DECOMPOSITION PRODUCTS : CO or NO_x (by high heat and fire)
HAZARDOUS POLYMERIZATION : Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

MUTAGENICITY : Negative in the Ames test
CARCINOGENIC EFFECTS : No data available
CHRONIC EFFECTS : No data available

SECTION 12 ECOLOGICAL INFORMATION

None

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD : Waste must be disposed of in accordance with country and local environmental control regulations.

SECTION 14 TRANSPORT INFORMATION

TRANSPORT INFORMATION : This is not a hazardous product.
UN No. : None allocated.

SECTION 15 REGULATORY INFORMATION

INFORMATION ON THE LABEL :
SYMBOL & INDICATION : Not required.
Risk Phrases : Not required.
SPECIAL PROVISIONS OF ANNEX V TO DIRECTIVE 1999/45/EC : Not required.

SECTION 16 OTHER INFORMATION

REFERENCES :
H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.Mackenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.